



Unlimited New View

PRODUCT GUIDE 2025

Uniview Technologies

We are the pioneer and leader of IP video surveillance. Uniview has been innovating in the IP Video Surveillance industry. We are the 4th largest in the global video surveillance market. We focus on cooperation, high quality and consistent innovation.

Product Line:

Network Cameras, NVRs, IP Camera Testers, Monitors, all-in-one VMS Servers, and PoE Switches



Wise-ISP Series

Tri-guard 2.0 Series

Multi-Sensor with Single IP

WHY CHOOSE UNV PRODUCTS?

Global Leader in Surveillance Solutions

Local Stock & Support

Reliable with <1% Failure Rate

Exclusive Pricing (not public)

Canadian Weather-Resistant

User-Friendly, Scalable & Adaptable

Live View on Mobile & PC

Compatible with Major VMS Partners







Product Series for Varied Needs



IP CAMERAS Essential Series: Entry Level Products, Suitable for Residential / Small Commercial Markets











<p>IPC3634SR4-ADZK-H</p>  <ul style="list-style-type: none"> •4MP 2688x1520 25fps •Lens (2.8-12mm Motorized) •IR 40m •Built In Mic, IP67 	<p>IPC3614SR-ADF28(40)KM-H IPC3614SR-ADF28KM-H-BK</p>  <ul style="list-style-type: none"> •4MP 2688x1520 25fps •Lens (2.8mm, 4.0mm Fixed) •IR 30m •Built In Mic, IP67 	<p>IPC3618SR-ADF28(40)KM-H</p>  <ul style="list-style-type: none"> •8MP 2688x1520 25fps •Lens (2.8mm, 4.0mm Fixed) •IR 30m •Built In Mic, IP67 	<p>IPC3624SR-ADF28(40)KM-WP IPC3624SR-ADF28KM-WP-BK</p>  <ul style="list-style-type: none"> •4MP 2688x1520 25fps •Lens (2.8mm, 4.0mm Fixed) •Min 0.0003 Lux •Built In Mic, IP67 	<p>IPC3628SR-ADF28(40)KM-WP IPC3628SR-ADF28KM-WP-BK</p>  <ul style="list-style-type: none"> •8MP 3840x2160 25fps •Lens (2.8mm, 4.0mm Fixed) •Min 0.0003 Lux •Built In Mic, IP67 	<p>IPC6415SR-X5UPW-VG</p>  <ul style="list-style-type: none"> •5MP 2880x1620 30fps •Lens (2.7-13.5mm Motorized) •5x Optical Zoom, IR 30m •Build In Mic & Speaker •Indoor Only 	<p>IPC9312LFW-AF28-2X4 Fixed Lens + PTZ</p>  <ul style="list-style-type: none"> •2 x 2MP 1920x1080 25fps •Lens (2.8-12mm Motorized) •4x Optical Zoom, IR 50m •Build In Mic, IP66 	<p>IPC6434LR-X16-VG1</p>  <ul style="list-style-type: none"> •4MP 2688x1520 30fps •Lens (5.5-88mm Motorized) •16x Optical Zoom, IR 100m •Alarm I/O, Audio I/O 	<p>IPC6324LWH-AX5C-VG2</p>  <ul style="list-style-type: none"> •4MP 2688 x 1520 30fps •Lens (2.7 to 13.5 mm Motorized) •40m LED •Built In Mic/ Speaker, IP66
<p>IPC2318SR-ADF28KM-WP IPC2318SR-ADF40KM-WP</p>  <ul style="list-style-type: none"> •8MP 3840x2160 20fps •Lens (2.8mm, 4.0mm Fixed) •LED Range 30m •Built In Mic, IP67 	<p>IPC322SR3-DVFP28-H</p>  <ul style="list-style-type: none"> •2MP 1920x1080 30fps •Lens (2.8mm Fixed) •IR 30m •IP67 & IK10 	<p>IPC324SR-ADF28(40)KM-H</p>  <ul style="list-style-type: none"> •4MP 2688x1520 25fps •Lens (2.8mm, 4.0mm Fixed) •IR 30m •Built In Mic, IP67 & IK10 	<p>IPC328SR-ADF28(40)KM-H</p>  <ul style="list-style-type: none"> •8MP 3840x2160 20fps •Lens (2.8mm, 4.0mm Fixed) •IR 30m •Built In Mic, IP67 & IK10 	<p>IPC3514SR-ADF28KM-WP IPC3514SR-ADF28KM-WP-BK</p>  <ul style="list-style-type: none"> •4MP 2688x1520 25fps •Lens (2.8mm Fixed) •Min 0.0003 Lux •IP67 & IK10 	<p>Did You Know?</p> <p>UNV Devices are compatible with major VMS Softwares.</p>  <p>and many more...</p>		<p>What We Offer</p> <ul style="list-style-type: none"> ColorHunter 24/7 Colorful Image AI Smart Features Fisheye 360° Panoramic View -40° C Weather resistant Active Deterrence Light & Sound Alarm Wise-ISP First & Exclusive Nightview Technology 	

Advance Series: Small & Medium Project Applications

<p>IPC354SB-ADNF28K-I0</p>  <ul style="list-style-type: none"> •4MP 2688x1520 30fps •Lens (2.8mm Fixed) •IR 30m, Harness free •Built In Mic, Alarm I/O •Indoor Only 	<p>IPC325SS-ADF28(40)K-I1 IPC325SS-ADF28K-I1-BK</p>  <ul style="list-style-type: none"> •5MP 2880x1620 30fps •Lens (2.8mm, 4.0mm Fixed) •IR 40m, Min 0.002 Lux •IP67 & IK10 	<p>IPC328SS-ADF28K-I1</p>  <ul style="list-style-type: none"> •8MP 3840x2160 30fps •Lens (2.8mm Fixed) •IR 40m, Min 0.002 Lux •IP67 & IK10 	<p>IPC3224SS-ADF28K-I1 Dual Sensor</p>  <ul style="list-style-type: none"> •2x4MP 2688x1520 25fps •Lens (2.8 mm Fixed) •Built In Mic, IR 30m •Min 0.002 Lux, IP67 & IK10 	<p>IPC3635SS-ADF28K-I1 IPC3635SS-ADF28K-I1-BK</p>  <ul style="list-style-type: none"> •5MP 2880x1620 30fps •Lens (2.8mm, 4.0mm Fixed) •IR 40m •Built In Mic, IP67 	<p>IPC3638SS-ADF28K-I1 IPC3638SS-ADF28K-I1-BK</p>  <ul style="list-style-type: none"> •8MP 2880x1620 30fps •Lens (2.8mm, 4.0mm Fixed) •IR 40m •Built In Mic, IP67 	<p>IPC3635SS-ADF28KMC-I1 IPC3635SS-ADF28KMC-I1-BK</p>  <ul style="list-style-type: none"> •5MP 2880x1620 30fps •Lens (2.8mm Fixed) •IR 30m, Alarm I/O & Audio I/O •0.001 Lux, IP67 	<p>IPC3638SS-ADF28KMC-I1 IPC3638SS-ADF28KMC-I1-BK</p>  <ul style="list-style-type: none"> •8MP 3840x2160 30fps •Lens (2.8mm Fixed) •IR 30m, Alarm I/O & Audio I/O •0.001 Lux, IP67
<p>IPC3608SB-ADF16KM-I0 180° View</p>  <ul style="list-style-type: none"> •8MP 3840x2160 30fps •Lens (1.68 mm Fixed lens) •IR 20m •Min 0.01 Lux, IP67 & IK10 	<p>IPC815SB-ADF14K-I0 360° Fish Eye</p>  <ul style="list-style-type: none"> •5MP 2592x1944 30fps •Lens (1.4mm Fixed) •360° Panoramic, IR 10m •Build In Mic, IP66 & IK10 	<p>IPC2125SB-ADF28KM-I0 IPC2125SB-ADF40KM-I0</p>  <ul style="list-style-type: none"> •5MP 2880x1620 30fps •Lens (2.8mm, 4.0mm Fixed) •IR 40m, Build In Mic •Min 0.002 Lux, IP67 	<p>IPC2B18SS-ADF28KMC-I1</p>  <ul style="list-style-type: none"> •8MP 3840x2160 30fps •Lens (2.8mm, 4.0mm Fixed) •IR 40m •Built In Mic, IP67 	<p>IPC6612SR-X25(33)-VG SID Based Auto Tracking</p>  <ul style="list-style-type: none"> •2MP 1920x1080 30fps •Lens (5-125mm, 4.5-148.5mm Motorized) •25X, 33X Optical Zoom •IR 150m, IP66 	<p>IPC6424SR-X25-VF SID Based Auto Tracking</p>  <ul style="list-style-type: none"> •4MP 2688x1520 30fps •Lens (4.8-120mm Motorized) •25X Optical Zoom •IR 100m, IP67 & IK10 	<p>IPC6622SR-X33-VF SID Based Auto Tracking</p>  <ul style="list-style-type: none"> •2MP 1920x1080 60fps •Lens (4.5-148.5mm Motorized) •33X Optical Zoom •IR 150m, IP66 	<p>IPC94144SFW-X25-F40C Fixed Lens + PTZ</p>  <ul style="list-style-type: none"> •2 x 4MP 2688x1520 30fps •Lens (4.8-120mm Motorized) •25X Optical Zoom, IR 100m •Warm LED 30m, IP66

Professional Series: High-End Applications (Commercial & Industrial Solutions)

<p>IPC3638SE-ADF28K-WP-I1 <i>Owlview Plus</i></p>  <ul style="list-style-type: none"> • 8MP 3840x2160 30fps • 2.8mm Fixed Lens • Larger 1/1.2 CMOS Sensor • Built In Mic, IP67, IK10 	<p>IPC3638SE-ADZKMC-WP-I1 <i>Owlview Plus</i></p>  <ul style="list-style-type: none"> • 8MP 3840x2160 30fps • Lens 2.8 to 12 mm (Motorized) • Alarm I/O & Audio I/O • IP67, IK10, NEMA 4X 	<p>TIC3612SA-F3-4F4AC-I1 <i>Thermal</i></p>  <ul style="list-style-type: none"> • 4MP 2688x1520 30fps • 4.0mm Fixed Lens (Optical) • 3.0 mm Fixed Lens (Thermal) • IR 30m, Built In Mic, IP67 	<p>TIC3612SA-F7-4F6AC-I1 <i>Thermal</i></p>  <ul style="list-style-type: none"> • 4MP 2688x1520 30fps • 6.0mm Fixed Lens (Optical) • 7.0 mm Fixed Lens (Thermal) • IR 30m, Built In Mic, IP67 	<p>IPC3K28SE-ADF28KMC-DL-I0</p>  <ul style="list-style-type: none"> • 8MP 4096 x 1860 20fps • Lenses (2.8mm Fixed) • IR 40m • Built In Mic, IP67 & IK10 	<p>IPC3235SB-ADZK-I0 <i>AI</i></p>  <ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (2.7-13.5mm Motorized) • Min 0.002 Lux, IR 40m • IP67 & IK10 	<p>IPC3238SB-ADZK-I0 <i>AI</i></p>  <ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8-12mm Motorized) • IR 40m, Alarm I/O & Audio I/O • Built In Mic, IP67 & IK10 	<p>IPC3734SE-ADZK-I0</p>  <ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (2.8-12mm Motorized) • Min 0.0005 Lux, IR 40m • IP67, IK10 & -40° Weatherproof 	<p>IPC3738SE-ADZK-I0 <i>[Special Order]</i></p>  <ul style="list-style-type: none"> • 4K, 8MP 3840x2160 30fps • Lens (2.8-12mm Motorized) • Min 0.0008 Lux, IR 40m • IP67, IK10 & -40° Weatherproof 	<p>IPC8645EA-ADZKM-I1 <i>Multi-Sensor Dome</i></p>  <ul style="list-style-type: none"> • 20MP 2880*1620 30fps • 4 channel video output • 1 license for third-party VMS • Built In Mic, IP67 	<p>IPC86CEB-AF18KC-I0 <i>360° Fish Eye</i></p>  <ul style="list-style-type: none"> • 12MP 4000x3000 20fps • Lens (1.8mm Fixed), IR 15m • 360° Panoramic, IP67 & IK10 • Build In Mic & Speaker
<p>IPC2B24SS-ADZK-I1</p>  <ul style="list-style-type: none"> • 4MP 2688x1520 30fps • F1.2 Motorized lens • IR 60m, Built In Mic, IP67 & IK10 	<p>IPC2B18SE-ADZKMC-WP-I1 <i>Owlview Plus [Special Order]</i></p>  <ul style="list-style-type: none"> • 8MP 3840x2160 30fps • Lens 2.8 to 12 mm (Motorized) • Alarm I/O & Audio I/O • IP67, IK10, NEMA 4X 	<p>TIC2A32SA-F10-4F8AC-I1 <i>Thermal</i></p>  <ul style="list-style-type: none"> • 4MP 2688x1520 30fps • 8.0mm fixed lens(Optical) • 10.0 mm fixed lens(thermal) • IR 50m, Built In Mic, IP67 	<p>IPC2K28SE-ADF40KMC-WL-I0 <i>ColorHunter</i></p>  <ul style="list-style-type: none"> • 8MP 5120x1440 20fps • Lens (4.0mm Fixed) • 180° Wide View, LED 30m • Alarm I/O, IP67 	<p>IPC2328SB-DZK-I0 <i>AI</i></p>  <ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8-12mm Motorized) • Min 0.0025 Lux, IR 50m • Alarm I/O, IP67 & IK10 	<p>PKC2640@Z80-P <i>LPR Support</i></p>  <ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens 8-32mm (Motorized) • Alarm I/O & Audio I/O, ANPR • IR50m, IP67, IK10 	<p>IPC6658SR-X25-VF IPC6658SR-X25-VF-BK</p>  <ul style="list-style-type: none"> • 4K, 8MP 3840x2160 30fps • Lens (6-150mm Motorized) • IR 200m, Alarm I/O • 25X Optical Zoom, IP66 	<p>IPC6854ER-X40G-VF <i>SID Based Auto Tracking</i></p>  <ul style="list-style-type: none"> 4MP 2688x1520 30fps • Lens (5.7-228mm Motorized) • IR 250m, Alarm I/O • 40X Optical Zoom, IP66 	<p>IPC6858ER-X40-VF <i>SID Based Auto Tracking</i></p>  <ul style="list-style-type: none"> • 4K, 8MP 3840x2160 30fps • Lens (5.7-228mm Motorized) • IR 250m, Alarm I/O • 40X Optical Zoom, IP66 	<p>IPC7622ER-X44-VF <i>[Special Order]</i></p>  <ul style="list-style-type: none"> • 2MP 1920x1080 60fps • Lens 5-220mm (Motorized) • EIS (Gyroscope) • IR300m, IP67 	<p>TIC7626EL-GAF75-4X56-VH1 <i>Thermal [Special Order]</i></p>  <ul style="list-style-type: none"> • 2MP+4MP Dual Optics • Lens 6-336mm (Motorized) • EIS (Gyroscope) • IR800m, IP66



<p>PoE SWITCHES & OPTICAL FIBER</p>	<p>PW-POE-P30</p>  <ul style="list-style-type: none"> • 2 Port PoE Splitter • Utilize 1 Network Cable • Support up to 30W • Power up to 3 Cameras 	<p>PW2020-4T-IN</p>  <ul style="list-style-type: none"> • 4 Port PoE Switch • Watchdog AI • PoE Port 4 up to 60W • One port upto 250m 	<p>PW2020-4TENC11-EX</p>  <ul style="list-style-type: none"> • 4 Port PoE switch enclosure • 3 RJ45 • AI Function • Port 4 support up to 60W 	<p>PW2020-5G-IN</p>  <ul style="list-style-type: none"> • 4 Port PoE Switch • 2 Uplink, 1 RJ45, 1 SFP • Watchdog AI • PoE Port 4 up to 60W 	<p>PW2020-8G-IG</p>  <ul style="list-style-type: none"> • 8 Port PoE industrial switch • 8 RJ45 • AI Function • Port 7-8 support up to 60W 	<p>PW2020-6T2G-EX</p>  <ul style="list-style-type: none"> • 8 Port Outdoor PoE Switch • 2 Uplink Ports • Watchdog AI 	<p>PW2020-6T2G-IN</p>  <ul style="list-style-type: none"> • 8 Port PoE Switch • 2 Uplink, 1 SFP • Watchdog AI • PoE Port 7 & 8 up to 60W 	<p>PW2020-14T2G-IN</p>  <ul style="list-style-type: none"> • 16 Port PoE Switch • 2 non-PoE GB Ports & 1 SFP • Watchdog AI • PoE Port 15 & 16 up to 60W • One port upto 250 m 	<p>PW2020-22T2G-IN</p>  <ul style="list-style-type: none"> • 24 Port PoE Switch • 2 non-PoE GB Uplink Ports • Watchdog AI • PoE Port 23 & 24 up to 60W 	<p>PW-DC-2225C</p>  <ul style="list-style-type: none"> • Outdoor Grade, Single Mode • Dual Core Fiber • Support 1000Mbps Speed • Support 1000m Distance
---	--	--	---	--	---	--	---	---	---	--



Technical Support
 Bi-lingual Technical Support Team
 Available Mon - Friday: 8am - 8pm
 Local: 647.559.3494
 Toll Free: 855.956.3494
 Email: support@univiewcanada.com



Did You Know? UNV Has Low Failure Rate of below 1%



UNV Devices support


Live View & Access Your UNV Devices from anywhere around the world with UNV Link (Mobile App) & EZ Station (Desktop Software)

Compatible with Windows & Mac

UNV Product Warranty

 IP Cameras 3 Years
  PTZ Cameras 2 Years
  Network Video Recorders 3 Years



Essential Series

NETWORK VIDEO RECORDERS

NVR501-04B-P4
NVR501-08B-P8






- 4/8 Ch IP Input
- 4/8 PoE Ports
- 1 HDD Slot
- Bandwidth 80 Mbps
- 16MP Recording Resolution



Advance Series

NVR502-08B-P8	NVR502-16B	NVR502-16B-P16	NVR504-16B-P16 NVR504-32B-P16
			
<ul style="list-style-type: none"> •8 Ch IP Input •8 PoE Ports •2 HDD Slots •Bandwidth 320 Mbps •16MP Recording Resolution 	<ul style="list-style-type: none"> •16 Ch IP Input •2 HDD Slots •4K Display Resolution •16MP Recording Resolution 	<ul style="list-style-type: none"> •16 Ch IP Input •16 PoE Ports •2 HDD Slots •4K Display Resolution •16MP Recording Resolution 	<ul style="list-style-type: none"> •16/32 Ch IP Input •16 PoE Ports •4 HDD Slots •4K Display Resolution •16MP Recording Resolution




Advance and Professional IQ Series

NVR502-08B-P8-IQ <i>AcuSearch & Color Retrieval</i>	NVR502-16B-P16-IQ <i>AcuSearch & Color Retrieval</i>	NVR508-64E-R-IQ <i>AcuSearch & Color Retrieval</i>
		
<ul style="list-style-type: none"> •8 Ch IP Input •8 PoE Ports •2 HDD Slots •4K Display Resolution •16MP Recording Resolution 	<ul style="list-style-type: none"> •16 Ch IP Input •16 PoE Ports •2 HDD Slots •4K Display Resolution •16MP Recording Resolution 	<ul style="list-style-type: none"> •64 Ch Input •8 HDD Slots •4K Display Solution •32MP Recording Resolution

Display Solution



MW-LC22	MW-LC24
	
<ul style="list-style-type: none"> •22" 1080p Resolution •75Hz refresh rate •HDMI & VGA 	<ul style="list-style-type: none"> •24" 1080p Resolution •75Hz refresh rate •HDMI & VGA

Professional Series





NVR508-32E-R	NVR516-128E-R	NVR824-256R
		
<ul style="list-style-type: none"> •32Ch IP Input •8 HDD Slots •4K Display Resolution •32MP Recording Resolution 	<ul style="list-style-type: none"> •128 Ch Input •2 Gigabit NICs •16 HDD Slots •4K Display Solution •32MP Recording Resolution 	<ul style="list-style-type: none"> •256 Ch IP Input •4 NICs •24 HDD Slots •Bandwidth 768 Mbps •12MP Recording Resolution

Dual Light Kits

NVR & CAMERA KITS

EKDL-S31P4T44T1	EKDL-S31P8T46T2
	
<ul style="list-style-type: none"> •4 Ch NVR / 4 x 4MP Cameras •1 HDD Slots •4K Display Solution •4 MP Recording Resolution •1 TB HDD Included 	<ul style="list-style-type: none"> •8 Ch NVR / 6 x 4MP Cameras •1 HDD Slots •4K Display Solution •4 MP Recording Resolution •2 TB HDD Included

Accessories

ED-525B-WB <i>Dual Lens Doorbell</i>	IPS302030-S <i>30W Outdoor IP Speaker</i>	GCB01-B7 <i>UNV-LINK PRO CONNECT BOX</i>	KB-1100-E
			
<ul style="list-style-type: none"> •3MP+2MP Cameras •Package Detection + Alerts •IR+LED Lights, 2-Way Audio •UMD, IP65 	<ul style="list-style-type: none"> •Camera Alarm Linkage •130 dB, PoE Powered •Custom Audio, 2-way Audio •Broadcast modes, IP66 	<ul style="list-style-type: none"> •1 Port PoE Power •Lithium battery: 7500mAh •Power & Configure UNV Cameras via UNV-Link Pro •Connect via SSID 	<ul style="list-style-type: none"> •4" inch Display Screen •4 Dimensional Joystick •Support Keyboard Lock •Allows to set multi-level user permissions

HYBRID SOLUTIONS


XVR301-08Q3	XVR302-16Q3	XVR302-32Q3	UAC-T125-AF28M-W	UAC-D125-AF28M
				
<ul style="list-style-type: none"> •8 BNC'S •Upto 4 Ch IP Input •1 HDD Slot •1080p Display Resolution •8MP Recording Resolution 	<ul style="list-style-type: none"> •16 BNC'S •Upto 8 Ch IP Input •2 HDD Slots •4K Display Resolution •8MP Recording Resolution 	<ul style="list-style-type: none"> •32 BNC'S •Upto 36 Ch IP Input •2 HDD Slots •4K Display Resolution •8MP Recording Resolution 	<ul style="list-style-type: none"> •5MP Resolution •1/2.7 CMOS Sensor •LED distance: 40m •Build In Mic, IP67 	<ul style="list-style-type: none"> •5MP Resolution •1/2.7 CMOS Sensor •IR Distance: 30m •Built In Mic, IP67 & IK10

Live View & Access Your

UNV Devices from anywhere around the world with UNV Link (Mobile App) & EZ Station (Desktop Software)



Download UNV-Link User App




Download EZ Station



UNV-Link User (Mobile App)

Download on the App Store | GET IT ON Google Play



EZ Station (Desktop Software)

Compatible with Windows & Mac



Bi-lingual Technical Support Team
Available Mon - Friday: 8am - 8pm
Local: 647.559.3494
Toll Free: 855.956.3494
Email: support@univiewcanada.com

Did You Know? UNV Has Low Failure Rate of below 1%

UNV Devices support



UNV Product Warranty

 IP Cameras 3 Years	 PTZ Cameras 2 Years	 Network Video Recorders 3 Years
---	--	--

